



TruBend Series 1000

Technical data



**TruBend 1060
Comfort Model****TruBend 1100 Classic
Model****TruBend 1100
Comfort Model**

PRESS FORCE	600 kN	1000 kN	1000 kN
BENDING LENGTH	2050 mm	3100 mm	3100 mm
WIDTH BETWEEN COLUMNS	1600 mm	2700 mm	2700 mm
USABLE OPEN HEIGHT	400 mm	380 mm	400 mm
THROAT DEPTH	350 mm	410 mm	410 mm
DIMENSIONS, WEIGHTS			
LENGTH	2760 mm	3790 mm	3790 mm
WIDTH	1910 mm	1910 mm	1910 mm
HEIGHT	2500 mm	2545 mm	2545 mm
WEIGHT	5900 kg	8350 kg	8350 kg

**TruBend 1150 Classic
Model****TruBend 1150
Comfort Model****TruBend 1225 Classic
model**

PRESS FORCE	1500 kN	1500 kN	2250 kN
BENDING LENGTH	3100 mm	3100 mm	4100 mm
WIDTH BETWEEN COLUMNS	2700 mm	2700 mm	3700 mm
USABLE OPEN HEIGHT	380 mm	400 mm	380 mm
THROAT DEPTH	410 mm	410 mm	410 mm
DIMENSIONS, WEIGHTS			
LENGTH	3790 mm	3790 mm	4780 mm
WIDTH	2035 mm	2035 mm	2080 mm
HEIGHT	2545 mm	2545 mm	2900 mm
WEIGHT	9600 kg	9600 kg	15000 kg

**TruBend 1225
Comfort model****TruBend 1320
Comfort Model**

PRESS FORCE	2250 kN	3200 kN
BENDING LENGTH	4100 mm	4100 mm
WIDTH BETWEEN COLUMNS	3700 mm	3700 mm
USABLE OPEN HEIGHT	400 mm	505 mm
THROAT DEPTH	410 mm	410 mm
DIMENSIONS, WEIGHTS		
LENGTH	4780 mm	4800 mm

**TruBend 1225
Comfort model**

**TruBend 1320
Comfort Model**

WIDTH 2080 mm
HEIGHT 2900 mm
WEIGHT 15000 kg

2320 mm
3410 mm
20800 kg